

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Water Resources Department – Allegations of certain lapses in “Rehabilitation of Pollards channel in Tenali Town limits for combined irrigation and Drainage system” – Disciplinary proceedings initiated against Sri B.Rambabu, the then Deputy Executive Engineer and Sri D.L.Narayana, the then Head Draughtsman, Irrigation Circle, Guntur – Inquiry Officer appointed – Inquiry report received – Finalization of disciplinary proceedings by dropping further action – Orders – Issued.

WATER RESOURCES (VIG.II-V&E.2) DEPARTMENT

G.O.RT.No. 322

Dated.22.05.2015.
Read the following:-

1. From the General Administration (V&E) Department Vigilance Report No.68 (693/V&E/E1/2005), dated 04.07.2006.
2. From the Engineer-in-Chief (Irrigation), I&CAD Department, Hyderabad letter No.ENC(I)/DCE-IV/OTMS/S5/547/2007, dated 28.01.2012.
3. G.O.Rt.No.719, I&CAD (Ser.VII (V&E.2) Department, dated 23.06.2012.
4. G.O.Rt.No.719, I&CAD (Ser.VII (V&E.2) Department, dated 23.06.2012.
5. From Sri D.L.Narayana, Head Draughtsman written statement of defence dated 28.07.2012.
6. From Sri B.Rambabu, Deputy Executive Engineer written statement of defence dated 17.08.2012.
7. G.O.Rt.No.1343, I&CAD (Ser.VII (V&E.2) Department, dated 13.12.2012.
8. Govt. Memo No.20321/Ser.VII (V&E.2)/2006-14, dated 13.12.2012.
9. From the Engineer-in-Chief (AW), I&CAD Department, Hyderabad letters No.Rc/ENC/K4/ 8004/ 2012, dated 26.07.2014.

<< >>

ORDER:-

In the reference 1st read above, it was brought to the notice of the Government regarding about certain lapses in “Rehabilitation of Pollards Channel in Tenali Town limits for combined Irrigation and Drainage System”.

2. In the references 3rd and 4th read above, articles of charges were issued to Sri B.Rambabu, the then Deputy Executive Engineer, Office of the Engineer-in-Chief (Irrigation), Hyderabad and Sri D.L.Narayana, Head Draughtsman, Irrigation Circle, Guntur for the alleged irregularities.

3. In the references 5th and 6th read above, both the charged officers have submitted their written statements of defence.
(p.t.o.)

..2..

4. In the reference 7th read above, Sri D.Koteswara Rao, I/c.Superintending Engineer, Irrigation Circle, Ongole was appointed as Inquiry Officer to inquire into the charges framed against the above said two charged officers.
5. In the reference 8th read above, Sri S.Sudhakar, I/c.Executive Engineer, Drainage Division, Chirala was appointed as Presenting Officer to present the case before the Inquiry Officer on behalf of the disciplinary authority.
6. In the reference 9th read above, the Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad has furnished the inquiry report submitted by the Inquiring Officer wherein the Inquiry Officer has given his findings stating that the charge against both the charged officers is not proved.
7. After careful examination of the entire matter, it has been decided to drop further action against Sri B.Rambabu, the then Deputy Executive Engineer and Sri D.L.Narayana, the then Head Draughtsman in this case.
8. Accordingly, Government hereby drop further action against Sri B.Rambabu, the then Deputy Executive Engineer and Sri D.L.Narayana, the then Head Draughtsman in this case.
9. The Engineer-in-Chief (Irrigation), Water Resources Department, Hyderabad is requested to be more careful/vigilante while dealing with such cases i.e., approving estimates.
10. The Engineer-in-Chief (AW), Water Resources Department, Hyderabad is requested to take necessary further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS
PRINCIPAL SECRETARY TO GOVERNMENT

To

The individuals **through** the Engineer-in-Chief (AW), Water Resources Department, Hyderabad.

The Engineer-in-Chief (AW), Water Resources Department, Hyderabad.

The Engineer-in-Chief (Irrigation), Water Resources Department, Hyderabad.

Copy to:

The Secretary to VC, APVC

The General Administration (V&E) Department

SC/SF

//FORWARDED :: BY ORDER//

SECTION OFFICER